

Epic  *Hygiene*




*Designed By Hygienists
For Hygienists.*

Designed for Hygienists


Epic Hygiene is FDA cleared for **Laser Bacterial Reduction**. Its Preset Hygiene Protocols get you started quickly for maximum efficiency!

- ✦ **Pocket Therapy:** Debris removal for preventative care
- ✦ **Perio Debridement:** Sulcular debridement with epithelial and granulation tissue removal
- ✦ **Aphthous Ulcers & Herpetic Lesions**
- ✦ **Hemostasis**



Increase Hygiene Team Production and ROI

- ✦ **Generate \$15,000 to \$40,000+** in added revenue per year by integrating minimally invasive laser protocols
- ✦ Turnkey **Practice Guidebook**, provides practice integration tips, step-by-step hygiene protocols, billing & coding information, and much more



Easy to Use

- ✦ **Handpiece design:** tailored to fit the needs of the hygienist
- ✦ **Intuitive interface:** with quick procedure selection and easy settings adjustment
- ✦ **Premium battery life:** Rechargeable with over 8 hours of usage
- ✦ **Adaptable for all patients:** Multiple power settings — Continuous Wave, and ComfortPulse™ technology



Dedicated Epic Hygiene Training and Support

- ✦ **Epic Hygiene-specific** laser training
- ✦ On-call **support**
- ✦ **Brought to you by BIOLASE**, the global leader in laser dentistry



Clinical Indications

- ✦ Sulcular debridement (removal of diseased, infected, inflamed and necrosed soft tissue in the periodontal pocket to improve clinical indices including gingival index, gingival bleeding index, probe depth, attachment loss and tooth mobility)
- ✦ Laser removal of diseased, infected, inflamed and necrosed soft tissue within the periodontal pocket
- ✦ Laser soft tissue curettage
- ✦ Hemostasis and coagulation
- ✦ Treatment of herpetic and aphthous ulcers of the oral mucosa

Epic Hygiene is a wonderful addition to my hygiene tool kit! It's so easy to use, an easy way to generate more revenue while providing the best in patient care.

– Lina Dawli, RDH



Technical Specifications

GENERAL

Dimension (W x L x H)	5.7 in. x 6.5 in. x 4.4 in. (14.5 cm x 11.2 cm x 16.5 cm)
Weight	2.5 lbs. (1kg)

ELECTRICAL

Operating Voltage	100 V - 240 V ~ at 1.5 A
Frequency	50/60 hz
External Fuses	None
Main Control	Main Power Switch (ON/OFF Control Button)
Remote Interruption	Remote Interlock
Disable Control	Emergency Stop Button
Battery	Lithium Ion Rechargeable, 14.4 V, 2.9 Ah
DC Power Supply Module	12 V DC, 5 A

LASER

Laser Classification	IV (Class 4)
Medium	InGaAs Semiconductor diode
Wavelength	980 ± 10nm
Max Power Output	1.5 W Max Avg. Power, 10 W Max Peak Power
Power Accuracy	± 20%
Operating Modes	Continuous Wave (CW), Pulse Modes (10%, 20%, 33%, 50% duty cycles)
Fiber Tip Diameter	400 µm
Pulse Duration	0.01 ms – 20 ms
Pulse Interval	0.04 ms – 20 ms
Pulse Repetition Rate	Up to 20 kHz (for reference)
Normal Ocular Hazard Distance	1 foot, 9 inches (0.52 meters)
Maximum Permissible Exposure	36.31 W/m ²
Beam Divergence	25° full angle
Standard Fiber Cable Length	6 feet, 7 inches (2 meters)

OTHER LIGHT SOURCES

Aiming Beam	Laser diode, max. 1 mW, 625 nm, Class 2
-------------	--------------------------------------------